

SAMPLE NAME: Surly Tank Potency test Zwickle

Infused, Hemp

CULTIVATOR / MANUFACTURER
Business Name:
License Number:
Address:
DISTRIBUTOR / TESTED FOR
Business Name: Surly Brewing Co

License Number:
Address:

SAMPLE DETAIL
Batch Number: T0005 bbt7
10/27/22

Sample ID: 221028M025

Date Collected: 10/28/2022

Date Received: 10/28/2022

Batch Size:
Sample Size: 355.0 units

Unit Mass:
Serving Size: 355 milliliters per Serving


Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY
Total THC: 0.0144 mg/mL

Total CBD: Not Detected

Sum of Cannabinoids: 0.0144 mg/mL

Total Cannabinoids: 0.0144 mg/mL

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:

$$\text{Total THC} = \Delta^9\text{-THC} + (\text{THCa} \cdot 0.877)$$

$$\text{Total CBD} = \text{CBD} + (\text{CBDa} \cdot 0.877)$$

$$\text{Sum of Cannabinoids} = \Delta^9\text{-THC} + \text{THCa} + \text{CBD} + \text{CBDa} + \text{CBG} + \text{CBGa} +$$

$$\text{THCV} + \text{THCVa} + \text{CBC} + \text{CBCa} + \text{CBDV} + \text{CBDVa} + \Delta^8\text{-THC} + \text{CBL} + \text{CBN}$$

$$\text{Total Cannabinoids} = (\Delta^9\text{-THC} + 0.877 \cdot \text{THCa}) + (\text{CBD} + 0.877 \cdot \text{CBDa}) +$$

$$(\text{CBG} + 0.877 \cdot \text{CBGa}) + (\text{THCV} + 0.877 \cdot \text{THCVa}) + (\text{CBC} + 0.877 \cdot \text{CBCa}) +$$

$$(\text{CBDV} + 0.877 \cdot \text{CBDVa}) + \Delta^8\text{-THC} + \text{CBL} + \text{CBN}$$
Density: 0.9992 g/mL

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT)

Anastasia Reiniak
LQC verified by: Anastasia Reiniak
Job Title: Laboratory Assistant
Date: 10/29/2022

Josh Wurzer
Approved by: Josh Wurzer
Job Title: President
Date: 10/29/2022




Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 0.0144 mg/mL

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: Not Detected

Total CBD (CBD+0.877*CBDA)

TOTAL CANNABINOIDS: 0.0144 mg/mL

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + CBL + CBN

TOTAL CBG: ND

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: ND

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: ND

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 10/29/2022

COMPOUND	LOD/LOQ (mg/mL)	MEASUREMENT UNCERTAINTY (mg/mL)	RESULT (mg/mL)	RESULT (%)
Δ^9 -THC	0.0001 / 0.0005	± 0.00079	0.0144	0.00144
Δ^8 -THC	0.0003 / 0.0008	N/A	ND	ND
THCa	0.0001 / 0.0002	N/A	ND	ND
THCV	0.0001 / 0.0004	N/A	ND	ND
THCVa	0.0001 / 0.0007	N/A	ND	ND
CBD	0.0001 / 0.0004	N/A	ND	ND
CBDA	0.0001 / 0.0010	N/A	ND	ND
CBDV	0.0001 / 0.0004	N/A	ND	ND
CBDVa	0.0001 / 0.0007	N/A	ND	ND
CBG	0.0001 / 0.0002	N/A	ND	ND
CBGa	0.0001 / 0.0003	N/A	ND	ND
CBL	0.0001 / 0.0004	N/A	ND	ND
CBN	0.0001 / 0.0003	N/A	ND	ND
CBC	0.0001 / 0.0004	N/A	ND	ND
CBCa	0.0001 / 0.0006	N/A	ND	ND
SUM OF CANNABINOIDS			0.0144 mg/mL	0.00144%

Serving Size: 355 milliliters per Serving

Δ^9 -THC per Serving	5.1120 mg/serving
Total THC per Serving	5.1120 mg/serving
CBD per Serving	ND
Total CBD per Serving	ND
Sum of Cannabinoids per Serving	5.1120 mg/serving
Total Cannabinoids per Serving	5.1120 mg/serving

DENSITY TEST RESULT

0.9992 g/mL
Tested 10/29/2022
Method: QSP 7870 - Sample Preparation