

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

CUSTOMER:

Quality Lab
4811 Dusharme Dr
Brooklyn Center 55429
Minnesota



SAMPLE INFORMATION

Sample No.: 1295724
Product Name: Surly Brewing Limelight Lounge Transfusion
Matrix: Edible (Carbonated Beverage)
Lot #: T056B :: 25092

Date Collected: 04/09/2025
Date Received: 04/09/2025
Date Reported: 04/09/2025

TEST SUMMARY

Cannabinoid Profile: ✔ Pass

Cannabinoid Profile ✔ Pass

04/09/2025

Method: MF-CHEM-15

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Detection 0.0008 mg/g

Limit of Quantitation 0.0025 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	ND	-	-	-
Δ9-THC	0.0247	0.00247	0.0255	4.53	9.07	5	9.34	Pass
Δ9-THCA	ND	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	ND	-	-	-
CBD	ND	ND	ND	ND	ND	-	-	-
CBDA	ND	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	ND	-	-	-
CBG	ND	ND	ND	ND	ND	-	-	-
CBGA	ND	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	ND	-	-	-
Total THC	0.0247	0.00247	0.0255	4.53	9.07	-	-	-
Total CBD	ND	ND	ND	ND	ND	-	-	-
Total Cannabinoids	0.0247	0.00247	0.0255	4.53	9.07	-	-	-
Sum of Cannabinoids	0.0247	0.00247	0.0255	4.53	9.07	-	-	-
Serving Weight (g)	183.5180							
Package Weight (g)	367.036							
g/ml Conversion Factor	1.0310							

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)

Total CBD = CBD + (0.877 * CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by

Vu Lam
Lab Co Director



Scan to verify

April 07, 2025

QUALITY LAB

4811 Dusharme Dr
Brooklyn Center 55429
Minnesota

Order No. 569830
Sample No. 1294101

SAMPLE INFORMATION


Description Surly Brewing Limelight Lounge Transfusion
Lot Number T056B :: 25092
Received April 04, 2025

ANALYTICAL RESULTS

Analysis Date April 04, 2025 to April 07, 2025

Findings	Analysis	Results	Method
	Salmonella	Not Detected/25g	MF-MICRO-11
	STEC	Not Detected/25g	MF-MICRO-18

Reported by
Anresco, Inc.


Allen Zhu
Analyst



April 07, 2025

QUALITY LAB

4811 Dusharme Dr
Brooklyn Center 55429
Minnesota

Order No. 569830
Sample No. 1294101

SAMPLE INFORMATION

Description Surly Brewing Limelight Lounge Transfusion
Lot Number T056B :: 25092
Category (Type) Non-Inhalable Edible (Carbonated Beverage)
Received April 04, 2025

ANALYTICAL RESULTS

Analysis Pesticides Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date April 04, 2025 to April 07, 2025

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.017/0.05	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Reported by
Anresco, Inc.

NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation


Angela Zhu
Analyst I



April 07, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

ANALYTICAL RESULTS

Analysis Mycotoxins Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date April 04, 2025 to April 07, 2025

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by
Anresco, Inc.

NT = Not Tested
 ND = None Detected
 LOD = Limit of Detection
 LOQ = Limit of Quantitation


 Angela Zhu
 Analyst I
 April 07, 2025



If there are any questions with this report, please contact "compliance@anresco.com".

April 07, 2025

QUALITY LAB

4811 Dusharme Dr
 Brooklyn Center 55429
 Minnesota

Order No. 569830
 Sample No. 1294101

SAMPLE INFORMATION

Description Surly Brewing Limelight Lounge Transfusion
Lot Number T056B :: 25092
Category (Type) Non-Inhalable Edible (Carbonated Beverage)
Received April 04, 2025

ANALYTICAL RESULTS

Analysis Residual Solvent Screen ✔ Pass
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method MF-CHEM-32
Analysis Date April 04, 2025 to April 07, 2025

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	489.00	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Reported by
Anresco, Inc.

NT = Not Tested
 ND = None Detected
 LOD = Limit of Detection
 LOQ = Limit of Quantitation


 Jordan Vargas
 Analyst III

April 07, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

April 07, 2025

QUALITY LAB


4811 Dusharme Dr
Brooklyn Center 55429
Minnesota

Order No. 569830
Sample No. 1294101

SAMPLE INFORMATION

Description Surly Brewing Limelight Lounge Transfusion
Lot Number T056B :: 25092
Category (Type) Non-Inhalable Edible (Carbonated Beverage)
Received April 04, 2025

ANALYTICAL RESULTS

Analysis Heavy Metals  **Pass**
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF-CHEM-16
Analysis Date April 04, 2025 to April 07, 2025

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.003/0.05	<LOQ	1.5	Pass
Cadmium	0.008/0.05	ND	0.5	Pass
Mercury	0.002/0.05	ND	3	Pass
Lead	0.01/0.125	<LOQ	0.5	Pass

Reported by
Anresco, Inc.

NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation



Eric Tam
Senior Chemist

April 07, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

April 07, 2025

QUALITY LAB

4811 Dusharme Dr
Brooklyn Center 55429
Minnesota

Order No. 569830
Sample No. 1294101

SAMPLE INFORMATION

Description Surly Brewing Limelight Lounge Transfusion
Lot Number T056B :: 25092
Category (Type) Non-Inhalable Edible (Carbonated Beverage)
Received April 04, 2025

ANALYTICAL RESULTS

Analysis Foreign Material  **Pass**
Method MF-CHEM-7
Analysis Date April 04, 2025 to April 07, 2025

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Reported by
Anresco, Inc.

NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation



Eric Tam
Senior Chemist

April 07, 2025

If there are any questions with this report, please contact "compliance@anresco.com".