

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124

CUSTOMER:

Surly Brewing Company
4811 Dusharme Dr
Brooklyn Center, MN 55429



SAMPLE INFORMATION

Sample No.: 1306206
Product Name: Sense by Surly Brewing: Go Easy
Matrix: Edible (Beverage)
Lot #: T063 Best By 11/15/25

Date Received: 05/20/2025
Date Reported: 05/22/2025

TEST SUMMARY

Cannabinoid Profile: ✔ Pass
Pesticide Residue Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Microbiological Screen: ✔ Pass
Residual Solvent Screen: ✔ Pass
Foreign Material: ✔ Pass

Cannabinoid Profile ✔ Pass

05/22/2025

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0008 mg/g
Limit of Quantitation 0.0025 mg/g

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference | Status |
|-------------------------------|----------|---------|--------|------------|------------|--------------------|--------------|--------|
| Δ8-THC | ND | ND | ND | ND | ND | - | - | - |
| Δ9-THC | 0.0084 | 0.00084 | 0.0084 | 2.99 | 2.99 | 3 | 0.27 | Pass |
| Δ9-THCA | ND | ND | ND | ND | ND | - | - | - |
| THCV | ND | ND | ND | ND | ND | - | - | - |
| THCVA | ND | ND | ND | ND | ND | - | - | - |
| CBD | 0.0241 | 0.00241 | 0.0242 | 8.58 | 8.58 | 10 | 14.16 | - |
| CBDA | ND | ND | ND | ND | ND | - | - | - |
| CBC | ND | ND | ND | ND | ND | - | - | - |
| CBCA | ND | ND | ND | ND | ND | - | - | - |
| CBDV | ND | ND | ND | ND | ND | - | - | - |
| CBG | ND | ND | ND | ND | ND | - | - | - |
| CBGA | ND | ND | ND | ND | ND | - | - | - |
| CBN | 0.0075 | 0.00075 | 0.0075 | 2.67 | 2.67 | 3 | 10.95 | - |
| Total THC | 0.0084 | 0.00084 | 0.0084 | 2.99 | 2.99 | - | - | - |
| Total CBD | 0.0241 | 0.00241 | 0.0242 | 8.58 | 8.58 | - | - | - |
| Total Cannabinoids | 0.04 | 0.004 | 0.0401 | 14.25 | 14.25 | - | - | - |
| Sum of Cannabinoids | 0.04 | 0.004 | 0.0401 | 14.25 | 14.25 | - | - | - |
| Serving Weight (g) | 356.1893 | | | | | | | |
| Package Weight (g) | 356.1893 | | | | | | | |
| g/ml Conversion Factor | 1.0034 | | | | | | | |

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comments The result of this sample is confirmed with a retest.

Microbiological Screen ✔ Pass

05/22/2025

| Analyte | Method | Findings | Units | Status |
|------------|-------------|------------------|-------|--------|
| Salmonella | MF-MICRO-11 | Not Detected/25g | /1g | Pass |
| STEC | MF-MICRO-18 | Not Detected/25g | /1g | Pass |

Pesticide Residue Screen ✔ Pass

05/22/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Abamectin | 0.015/0.05 | ND | 0.015 | Pass |
| Acephate | 0.003/0.01 | ND | 0.003 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.003 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.003 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.003 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.003 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.003 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.003 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.003 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.003 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.003 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.003 | Pass |
| Chlordane | 0.03/0.1 | ND | 0.1 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.015 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.003 | Pass |
| Clofentezine | 0.003/0.01 | ND | 0.003 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.003 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.015 | Pass |
| Cypermethrin | 0.015/0.05 | ND | 0.015 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.003 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.003 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.003 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.003 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.003 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.003 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.003 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.003 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.007 | Pass |
| Fenoxycarb | 0.003/0.01 | ND | 0.003 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.007 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.003 | Pass |
| Flonicamid | 0.003/0.01 | ND | 0.003 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.003 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.003 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.003 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.003 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.003 | Pass |
| Malathion | 0.003/0.01 | ND | 0.003 | Pass |
| Metalaxyl | 0.003/0.01 | ND | 0.003 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.003 | Pass |
| Methomyl | 0.003/0.01 | ND | 0.003 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.003 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.007 | Pass |
| Myclobutanil | 0.003/0.01 | ND | 0.003 | Pass |
| Naled | 0.003/0.01 | ND | 0.003 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.003 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.003 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.003 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.015 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.003 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.003 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.015 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.003 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.003 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.015 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.003 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.003 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.003 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.003 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.003 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.003 | Pass |
| Tebuconazole | 0.003/0.01 | ND | 0.003 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.003 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.003 | Pass |

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------|----------------|-----------------|--------------|--------|
| Trifloxystrobin | 0.003/0.01 | ND | 0.003 | Pass |

Residual Solvent Screen ✓ Pass

05/22/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane | 0.5/0.5 | ND | 1 | Pass |
| Acetone | 57/200 | ND | 5000 | Pass |
| Acetonitrile | 56/200 | ND | 410 | Pass |
| Benzene | 0.5/0.5 | ND | 1 | Pass |
| n-Butane | 45/200 | ND | 5000 | Pass |
| Chloroform | 0.5/0.5 | ND | 1 | Pass |
| Ethanol | 37/200 | ND | 5000 | Pass |
| Ethyl acetate | 38/200 | ND | 5000 | Pass |
| Ethyl ether | 37/200 | ND | 5000 | Pass |
| Ethylene oxide | 0.1/0.5 | ND | 1 | Pass |
| n-Heptane | 135/200 | ND | 5000 | Pass |
| n-Hexane | 49/200 | ND | 290 | Pass |
| Isopropyl alcohol | 57/200 | ND | 5000 | Pass |
| Methanol | 37/200 | ND | 3000 | Pass |
| Methylene chloride | 0.1/0.5 | ND | 1 | Pass |
| n-Pentane | 37/200 | ND | 5000 | Pass |
| Propane | 72/200 | ND | 5000 | Pass |
| Toluene | 49/200 | ND | 890 | Pass |
| Total xylenes (ortho-, meta-, para-) | 58/200 | ND | 2170 | Pass |
| Trichloroethylene | 0.5/0.5 | ND | 1 | Pass |

Heavy Metal Screen ✓ Pass

05/22/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.003/0.05 | ND | 1.5 | Pass |
| Cadmium | 0.008/0.05 | ND | 0.5 | Pass |
| Mercury | 0.002/0.05 | ND | 3 | Pass |
| Lead | 0.01/0.125 | ND | 0.5 | Pass |

Foreign Material ✓ Pass

05/22/2025

Method: MF-CHEM-7

| Analyte | Findings | Limit | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |

Mycotoxin Screen ✓ Pass

05/22/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1 | 2/5 | ND | - | - |
| Aflatoxin B2 | 2/5 | ND | - | - |
| Aflatoxin G1 | 2/5 | ND | - | - |
| Aflatoxin G2 | 2/5 | ND | - | - |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 6/18 | ND | 20 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director



Scan to verify